

UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.		FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
08/444,791		05/19/1995	MANFRED BROCKHAUS	9191	5613	
37500	7590	09/26/2006		EXAMINER		
AMGEN II	NC.		SCHWADRON, RONALD B			
LAW DEPA	RTMEN	T				
1201 AMG	EN COUF	RT WEST		ART UNIT	PAPER NUMBER	
SEATTLE,			1644			

DATE MAILED: 09/26/2006

Please find below and/or attached an Office communication concerning this application or proceeding.



UNITED STATES DEPARTMENT OF COMMERCE

DATE MAILED:

U.S. Patent and Trademark Office

Address: COMMISSIONER FOR PATENTS

P.O. Box 1450

Alexandria, Virginia 22313-1450

APPLICATION NO./ CONTROL NO.	FILING DATE	FIRST NAMED INVENTOR / PATENT IN REEXAMINATION		ATTORNEY DOCKET NO.	
				EXAMINER	
		•			
			ART UNIT	PAPER	
				200609	

Please find below and/or attached an Office communication concerning this application or proceeding.

Commissioner for Patents

The reply filed on 6/19/06 is not fully responsive to the prior Office Action because of the following omission(s) or matter(s).

A review of the pending claims has revealed that none of the pending claims are drawn to the elected species currently under consideration (aka 55 kD TNF receptor). Applicant is required to reinstate said claims for examination. The elections as made pertaining to the 75kd receptor will be maintained and used in the event that the search is extended to said species.

See 37 CFR 1.111. Since the above-mentioned reply appears to be bona fide, applicant is given ONE (1) MONTH or THIRTY (30) DAYS from the mailing date of this notice, whichever is longer, within which to supply the omission or correction in order to avoid abandonment. EXTENSIONS OF THIS TIME PERIOD MAY BE GRANTED UNDER 37 CFR 1.136(a).

Ron Schwadron, Ph.D. **Primary Examiner** Art Unit 1644

> RONALD B. SCHWADRON PRIMARY EXAMINER GROUP 1800